

L Number	Hits	Search Text	DB	Time stamp
-	9	("5093914" "5560009" "5740440" "5764989" "5778230" "5812850" "5845125" "5848274" "5854931").PN.	USPAT	2004/07/19 19:01
-	176	(interact\$6 same debug\$4) and ((717/124 or 717/125 or 717/128 or 717/129 or 717/166).class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 11:56
-	4044	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:05
-	403	(stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:44
-	28924	(halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:44
-	1314	((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:54
-	230	(interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:54
-	174	((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:54
-	50	((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:54
-	36	((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))) and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:55

-	8	((((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))) and (object adj oriented)) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:55
-	6	((((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution)) and (class\$2 with (abstract or parent or interface\$1 or base or super))) and (object adj oriented)) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1))) and ((717/124 or 717/125 or 717/127 or 717/129 or 717/130).clss)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 13:55
-	53078	(class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:53
-	60	((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2) and (((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:00
-	37	((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2) and (((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution))) and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:01

-	8	(((((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2) and (((interact\$6 same debug\$4) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with (function\$1 or method\$1 or instruction\$1 or statement\$1))) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution))) and (object adj oriented)) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:53
-	92	((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:51
-	484	((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:06
-	20	(US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.	USPAT; US-PGPUB	2004/08/19 14:54
-	6	((US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:51

-	2	(((US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))) and (((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))) and ((stor\$3 or log\$3 or sav\$3 or record\$3 or writ\$3 or collect\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (structure\$1 or repositor\$3 or database\$1 or table\$1 or storage\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:52
-	5	(((US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))) and (((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 14:53
-	2	(((US-5740440-\$ or US-6266806-\$ or US-6266805-\$ or US-6240549-\$ or US-6240545-\$ or US-6189140-\$ or US-5960199-\$ or US-5940616-\$ or US-5926638-\$ or US-4885717-\$ or US-5845125-\$ or US-6077312-\$ or US-5560009-\$ or US-5093914-\$ or US-5630049-\$ or US-6091896-\$ or US-6550056-\$).did. or (US-20030106046-\$ or US-20010004766-\$ or US-20020129337-\$).did.) and (((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))) and ((class\$2 with (abstract or parent or interface\$1 or base or derived)) or superclass\$2 or subclass\$2)	USPAT; US-PGPUB	2004/08/19 14:54

-	15	((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1))) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)) and ((halt\$3 or interrupt\$3 or paus\$3 or suspend\$3 or stop\$4) with execution) with ((user\$1 or client\$1) near4 (input\$4 or request\$3 or prompt\$3 or command\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:57
-	1863	(object adj oriented)same (class\$2 with (abstract or interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:54
-	1598	interact\$6 same debug\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:55
-	113	((object adj oriented)same (class\$2 with (abstract or interface\$1))) and (interact\$6 same debug\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 16:55
-	175	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (call\$3 or invok\$3 or request\$3) with (function\$1 or method\$1 or instruction\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 17:11
-	943	(breakpoint\$1 or (break adj point\$1)) with (condition\$2 or criterion or criteria)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 17:00
-	6	((object adj oriented)same (class\$2 with (abstract or interface\$1))) and (interact\$6 same debug\$4)) and ((set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with (call\$3 or invok\$3 or request\$3) with (function\$1 or method\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 17:00
-	92	(set\$4 or insert\$3 or establish\$3 or embed\$4 or designat\$3 or anchor\$3 or install\$5 or implement\$5 or creat\$3 or add\$3) with (breakpoint\$1 or (break adj point\$1)) with ((call\$3 or invok\$3 or request\$3) near3 (function\$1 or method\$1 or instruction\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/19 17:12